

### PRESENTS





Stainless Steel

Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3 sales@superlift.net **1-800-884-1891** www.superlift.net



# STAINLESS STEEL ERGONOMIC LIFT TABLES

# **Standard Features**

- Value priced 2,000 and 2,500 lbs capacity
- USDA and CGMP compliant
- North American 304L and 316L stainless steel
- Bolt together design eliminates cracks, crevices and pin holes where bacteria can form and reduced down time
- Sanitary design with full pan base and plat form formed to eliminate welds
- Nickel plated or stainless cylinders
- Nema4x hand controls
- Standard finishes from 2B, electro polished and 35 RA





Nickel Plated Cylinders



Delrin Rollers & Beaings





Bolt Together

Sanitation Package

sales@superlift.net **1-800-884-1891** www.superlift.net



		30" Lift						
(	Model	Capacity Ibs	Platform Sixzes In.	Base Sixzes In.	Lower Ht. In.	Raised Ht. In.	Motor HP	Motor Wt. Lb.
	SL SS30-20	2,000	44 x 48	36 x 48	8	38	1	550
	SL SS30-25	2,500	44 x 48	36 x 48	8	38	1	625
	SL SS30-40	4,000	44 x 48	36 x 48	8	38	1.5	775
	SL SS30-60	6,000	46 x 48	36 x 48	12	42	1.5	975
	SL SS30-80	8,000	46 x 48	36 x 48	12	42	2	1,250

# **OPTIONAL FEATURES**

- 36" and 40" lift heights
- Stainless hydraulic cylinders
- Sanitation package 6" adjustable legs to make floor around lift easer to clean
- Rotating platforms, tilting platforms
- Portable and semi portable
- Polished tig welds
- Safety railing with gates
- Photo eyes
- Air powered
- Self propelled
- Double and triple lifts
- Custom sizes
- Capacities from 500 to 10,000 lbs



# $\mathbf{S}_{\mathsf{uperLift}}$ offers the largest offering of stainless steel lifts in the world

### Other Superlift<sup>™</sup> Stainless Steel Lifts



sales@superlift.net

**1-800-884-1891** www.superlift.net



# STAINLESS STEEL SINGLE & DOUBLE PORTABLE LIFT TABLES

# **Standard Features**

- High quality 304L and 316L stainless steel
- Foot pump and powered lift available
- Delrin rollers and bushings
- Battery powered, air powered and A/C powered
- Platform sizes to 48" x 72" (1,200mm x 1,600 mm)
- Capacity
- Lift heights to 78" high
- Nickel plated and stainless and washdown pumps





### Other Superlift<sup>™</sup> Stainless Steel Lifts




sales@superlift.net 1-800-884-1891


Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3

www.superlift.net



### **SAMPLE DRAWINGS**





# **Foot Pump Models**

Model	Capacity lbs	Lowered lift	Raised height	Platform size	Option platform sizes to
SL SS34-05	500	16"	34"	24" x 36"	36" x 48"
SL SS34-10	1,000	16"	34"	24" x 36"	36" x 48"

**Double Foot** Pump Models

SL SSD54-05	500	18"	72"	24" x 36"	36" x 48"
SL SSD54-10	1,000	18"	72"	24" x 36"	36" x 48"

## **Powered Lift Models**

### Custom sizes available in manual lifts

SL SSP34-05	500	16"	34"	24" x 36"	48" x 60"
SL SSP34-10	1,000	16"	34"	24" x 36"	48" x 60"
SL SSP34-15	1,500	16"	34"	24" x 36"	48" x 60"
SL SSP34-20	2,000	16"	34"	24" x 36"	48" x 60"

### **Double Powered Lift Models**

SL SSP60-05	500	18"	78"	36" x 48"	60" x 72"
SL SSP60-10	1,000	18"	78"	36" x 48"	60" x 72"
SL SSP60-15	1,500	18"	78"	36" x 48"	60" x 72"
SL SSP60-20	2,000	18"	78"	36" x 48"	60" x 72"
SL SSP60-30	3,000	18"	78"	36" x 48"	60" x 72"
SL SSP60-40	4,000	18"	78"	36" x 48"	60" x 72"

Call factory for all optional features

sales@superlift.net

Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3 **1-800-884-1891** www.superlift.net



# STAINLESS STEEL ERGO AIR POWERED LIFT TABLES

# **Available in**

- Self Adjusting
- Operator Adjusted
- Explosion Proof







Delrin Rollers & Beaings



Sanitation Package




Bolt Together





# SUPERLIFT OFFERS THE BEST IN SANITARY LIFT DESIGN



- Solid formed platform and base frame eliminating cracks and crevices
- Bolt together designs eliminating pinholes in welds and potential holes where bacteria can hide
- Delrin rollers and delrin bushings and bearings eliminating rust from teflon bushings and steel bearings leaking into your process
- Optional sanitation package that keeps your lift off the floor, making it simpler to clean your facility
- Air eliminates springs that will rust and crack and eventually fail
- Self adjusting and operator adjusted designs for the best ergonomic options
- Explosion proof and custom designs to satisfy any lifting application

# $\mathbf{S}'_{\mathbf{uperLift}^{st}}$ offers the largest offering of stainless steel lifts in the world

# Other Superlift<sup>™</sup> Stainless Steel Lifts Image: Custom <

sales@superlift.net

Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3

**1-800-884-1891** www.superlift.net



# DOUBLE STAINLESS STEEL LIFT TABLES

To increase productivity, eliminate injuries & have the cleanest facilities in the industry

SUPERLIFT<sup>™</sup> can supply with ergonomic lifts, stainless lifts, stainless lift tables, specialty manlifts, lift trucks and custom material handling solutions.

- Capacities from 500 lbs to 10,000 lbs and lift heights to 144"
- Tube and non tube units available
- Delrin rolles and Delrin bushings
- 100% grade 8 bolts







<ul> <li>Options include rotators, ra</li> </ul>	ailings and sanitation pa	ackage
--	---------------------------	--------

60" LIFT		Open		5 i ocacoi o,	rainiys an		auton	puonago			
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight			
DSL-SS-60-20	2,000	30" x 48"	30" x 48"	10"	70"	35 sec	1	1,800 lbs			
DSL-SS-60-40	4,000	30" x 48"	30" x 48"	14"	74"	70 sec	1	1,800 lbs			
DSL-SS-60-60	6,000	30" x 48"	30" x 48"	16"	76"	90 sec	1	1,900 lbs			
72" LIFT											
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight			
DSL-SS-72-20	2,000	30" x 60"	30" x 60"	10"	82"	45 sec	1	2,000 lbs			
DSL-SS-72-40	4,000	30" x 60"	30" x 60"	14"	86"	90 sec	1	2,100 lbs			
DSL-SS-72-60	6,000	30" x 60"	30" x 60"	16"	88"	110 sec	1	2,200 lbs			
84" LIFT											
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight			
DSL-SS-96-20	2,000	48" x 84"	48" x 72"	10"	106"	60 sec	3	3,000 lbs			
DSL-SS-96-40	4,000	48" x 84"	48" x 72"	14"	110"	70 sec	3	3,100 lbs			
DSL-SS-96-60	6,000	48" x 84"	48" x 72"	16"	70"	60 sec	5	3,200 lbs			
120" LIFT											
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight			
DSL-SS-120-20	2,000	48" x 96"	48" x 96"	14"	134"	30 sec	5	3,000 lbs			
DSL-SS-120-40	4,000	48" x 96"	48" x 96"	14"	134"	35 sec	5	3,200 lbs			
DSL-SS-120-60	6,000	48" x 96"	48" x 96"	16"	134"	35 sec	5	3,800 lbs			
144" LIFT											
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight			
DSL-SS-144-20	2,000	54" x 108"	54" x 108"	16"	160"	60 sec	5	3,200 lbs			
DSL-SS-144-40	4,000	54" x 108"	54" x 108"	16"	160"	60 sec	5	3,400 lbs			
DSL-SS-144-60	6,000	54" x 108"	54" x 108"	18"	162"	60 sec	5	3,550 lbs			











tool man

track units

sales@superlift.net 1-800-884-1891 www.superlift.net

stainless steel personnel stand

stainless foot pump lifts

stainless steel platform trucks



# STAINLESS STEEL STRADDLE STACKER

- 100% Stainless steel frame carriage, forks and undercarriage
- Available in 304L and 316L stainless steel
- Capacities 500 to 5,000 lbs
- Finishes 2B, electro polished and 35 RA
- Clean room compliant
- For Food, pharmaceutical, chemical and other washdown applications
- Custom fork sizes
- cGMP Models available
- Lift heights to 189 inches
- Custom designs
- EE EX rated available
- UL and CE approved








sales@superlift.net **1-800-884-1891** www.superlift.net



# STAINLESS STEEL STRADDLE STACKER

### **Sample Drawings**


Straddle Stacker with Platform



### **Optional Features**

- cGMP
- EE and EX rated trucks available
- Epoxy coatings, galvanized, nickel plated and linex coatings available
- Rider platforms
- Horizontal travel models
- Straddle trucks, counterbalance fork over and walkie reach trucks are all available

Model	Capacity	Voltage	Heights	Outrigger
SL SS SS 10	1,000	24 V AC	36" x 154"	34" x 54"
SL SS SS 20	2,000	24 V AC	36" x 154"	34" x 54"
SL SS SS 25	2,500	24 V AC	36" x 154"	34" x 54"
SL SS SS 30	3,000	24 V AC	36" x 154"	34" x 54"





\*Custom sizes available

sales@superlift.net **1-800-884-1891** www.superlift.net



# STAINLESS STEEL PUSH STACKER


- 100% Stainless teel frame carriage, forks and undercarriage
- Available in 304L and 316L stainless steel
- Capacities 500 to 2,500 lbs
- Finishes 2B, electro polished and 35 RA
- Clean room complient
- For Food, pharmaceutical,
- Custom fork sizes
- cGMP Models available
- Lift heights to 189 inches
- Custom designs
- UL and CE approved chemical and other washdown applications
- EE an Ex versions available



sales@superlift.net **1-800-884-1891** www.superlift.net



### **Sample Drawings**



Model	Capacity	Voltage	Heights	Forks
SL SS WFO 10	1,000	24 V	20 -120	
SL SS WFO 20	2,000	24 V	20 -120	36"-72" long
SL SS WFO 25	2,500	24 V	20 -120	non adjustable
SL SS WFO 30	3,000	24 V	20 -120	

\*Custom sizes available

sales@superlift.net

1-800-884-1891

www.superlift.net

SuperLift™ Builds Custom Lift Trucks & Manlifts in Painted Steel and Stainless Steel



# STAINLESS STEEL WALKIE FORK OVER STACKER

- 100% Stainless teel frame carriage, forks and undercarriage
- Available in 304L and 316L stainless steel
- Capacities 500 to 5,000 lbs
- Finishes 2B, electro polished and 35 RA
- Clean room complient
- For Food, pharmaceutical, chemical and other washdown applications
- Custom fork sizes
- cGMP Models available
- Lift heights to 189 inches
- Custom designs
- UL and CE approved




sales@superlift.net **1-800-884-1891** www.superlift.net



42 5/8

### Sample Drawings



### **Optional Features**

- cGMP
- EE and EX rated trucks available
- Epoxy coatings, galvanized, nickel plated and linex coatings available
- Rider platforms
- Horizontal travel models
- Straddle trucks, counterbalance fork over and walkie reach trucks are all available

Model	Model Capacity		Heights	Forks
SL SS WFO10	1,000	24 V AC	20 - 120	
SL SS WFO 20	2,000	24 V AC	20 - 120	36"-72" long
SL SS WFO 25	2,500	24 V AC	20 - 120	non adjustable
SL SS WFO 30	3,000	24 V AC	20 - 120	

# SuperLift" Builds Custom Lift Trucks & Manlifts in Painted Steel and Stainless Steel



sales@superlift.net **1-800-884-1891** www.superlift.net




# STAINLESS STEEL COUNTERBALANCE STACKER

- 100% Stainless steel frame carriage, forks and undercarriage
- Available in 304L and 316L stainless steel
- Capacities 500 to 5,000 lbs
- Finishes 2B, electro polished and 35 RA
- Clean room compliant
- For Food, pharmaceutical, chemical and other washdown applications
- Custom fork sizes
- cGMP Models available
- Lift heights to 189 inches
- Custom designs

sales@superlift.net **1-800-884-1891** www.superlift.net





Model	Capacity	Voltage	Heights	Forks
SL SS WCB 10	1,000	24 V	36" x 154"	
SL SS WCB 20	2,000	24 V	36" x 154"	36"-72" long
SL SS WCB 25	2,500	24 V	36" x 154"	12"-48" wide
SL SS WCB 30	3,000	24 V	36" x 154"	

# SuperLift<sup>®</sup> Builds Custom Lift Trucks & Manlifts in Painted Steel and Stainless Steel











\*Custom sizes available



low profile pallet truck

fork over stacker

straddle stackers

walkie counter balance

platform truck

sales@superlift.net 1-800-884-1891 www.superlift.net




# STAINLESS STEEL WALKIE STACKERS

- 100% Stainless teel frame carriage, forks and undercarriage
- Available in 304L and 316L stainless steel
- Capacities 500 to 10,000
- Finishes 2B, electro polished and 35 RA
- Clean room complient
- For Food, pharmaceutical, chemical and other washdown applications
- Custom fork sizes
- cGMP Models available
- Lift heights to 189 inches
- Custom designs

sales@superlift.net **1-800-884-1891** www.superlift.net





- EE and EX rated trucks available
- Epoxy coatings, galvanized, nickel plated and linex coatings available
- Rider platforms
- Horizontal travel models
- Straddle trucks, counterbalance fork over and walkie reach trucks are all available





# SuperLift" Builds Custom Lift Trucks & Manlifts in Painted Steel and Stainless Steel













low profile pallet truck

fork over stacker

straddle stackers

walkie counter balance

tow tractors

platform truck

sales@superlift.net 1-800-884-1891 www.superlift.net




# STAINLESS STEEL POWERED PALLET TRUCKS

- 100% Stainless teel frame carriage, forks and undercarriage
- Available in 304L and 316L stainless steel
- Capacities 500 to 10,000
- Finishes 2B, electro polished and 35 RA
- Clean room complient
- For Food, pharmaceutical, chemical and other demanding application
- Custom fork for lenghts and widths
- cGMP Models available
- 24 Volt E and EE ratings galvanized, powder coated and epoxy steel it painted models available

sales@superlift.net **1-800-884-1891** www.superlift.net



# **SUPERLIFT STAINLESS STEEL PALLET TRUCKS**



# uperLift" Builds Custom Lift Trucks & Manlifts in Painted Steel and Stainless Steel













low profile pallet truck

fork over stacker

straddle stackers

walkie counter balance

sales@superlift.net **1-800-**884-1891

**Superlift Material Handling Inc** 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3

www.superlift.net



# **STAINLESS STEEL MANLIFTS**

To increase productivity, eliminate injuries & have the cleanest facilities in the industry

SUPERLIFT<sup>™</sup> can supply with ergonomic lifts, stainless lifts, stainless lift tables, specialty manlifts, lift trucks and custom material handling solutions.

- Capacities from 500 lbs to 10,000 lbs and lift heights to 144"
- Tube and non tube units available
- Delrin rolles and Delrin bushings
- 100% grade 8 bolts





60" LIFT

OU" LIFI								
Model	Capacity lbs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight
DSL-SS-60-20	2,000	30" x 48"	30" x 48"	10"	70"	35 sec	1	1,800 lbs
DSL-SS-60-40	4,000	30" x 48"	30" x 48"	14"	74"	70 sec	1	1,800 lbs
DSL-SS-60-60	6,000	30" x 48"	30" x 48"	16"	76"	90 sec	1	1,900 lbs
72" LIFT								
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight
DSL-SS-72-20	2,000	30" x 60"	30" x 60"	10"	82"	45 sec	1	2,000 lbs
DSL-SS-72-40	4,000	30" x 60"	30" x 60"	14"	86"	90 sec	1	2,100 lbs
DSL-SS-72-60	6,000	30" x 60"	30" x 60"	16"	88"	110 sec	1	2,200 lbs
84" LIFT								
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight
DSL-SS-96-20	2,000	48" x 84"	48" x 72"	10"	106"	60 sec	3	3,000 lbs
DSL-SS-96-40	4,000	48" x 84"	48" x 72"	14"	110"	70 sec	3	3,100 lbs
DSL-SS-96-60	6,000	48" x 84"	48" x 72"	16"	70"	60 sec	5	3,200 lbs
120" LIFT								
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight
DSL-SS-120-20	2,000	48" x 96"	48" x 96"	14"	134"	30 sec	5	3,000 lbs
DSL-SS-120-40	4,000	48" x 96"	48" x 96"	14"	134"	35 sec	5	3,200 lbs
DSL-SS-120-60	6,000	48" x 96"	48" x 96"	16"	134"	35 sec	5	3,800 lbs
144" LIFT								
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight

### • Options include rotators, railings and sanitation package

	,							
144" LIFT								
Model	Capacity Ibs	Platform Size	Base Size	Lower Height	Raised Height	Up Speed	Motor HP	Shipping Weight
DSL-SS-144-20	2,000	54" x 108"	54" x 108"	16"	160"	60 sec	5	3,200 lbs
DSL-SS-144-40	4,000	54" x 108"	54" x 108"	16"	160"	60 sec	5	3,400 lbs

54" x 108"

18"

54" x 108"



DSL-SS-144-60



6,000





162"

60 sec

5

tool	man
1001	man



3,550 lbs

stainless steel personnel stand

stainless foot pump lifts

stainless steel platform trucks

sales@superlift.net 1-800-884-1891 www.superlift.net



# STAINLESS STEEL COLUMN & MEZZANINE LIFTS

# **Standard Features & Standard Options**

- 304L and 316L stainless steel
- Ground level loading
- Front and side loading models
- Lift heights 2 to 240 inches
- Sanitary design reduces cleaning time
- Capacities from 500 lbs to 6,000 lbs
- Operator controlled and automated models
- Meets ANSI standards, TSSA standars available
- cGMP and USDA



SUPERLIFT<sup>™</sup> column lifts are being used in food, pharmaceutical and industrial companies to solve ergonomic lifting problems and save money by reducing loading times and eleminating injuries.

sales@superlift.net **1-800-884-1891** www.superlift.net



# STAINLESS ERGONOMIC COLUMN LIFTS TO 6,000 LB CAPACITY

- Standard and polished finishes
- Clean room complient
- Epoxy coated and galvanized available
- Painted mild steel also available
- Stainless steel enclosures and mezzanines are available







 $\mathbf{S}_{\mathsf{uperLift}}$  offers the largest offering of stainless steel lifts in the world


### Other Superlift<sup>™</sup> Column Lifts











sales@superlift.net

Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3

**1-800-884-1891** www.superlift.net



# STAINLESS STEEL PNEUMATIC TILTER

- 100% Stainless steel frame
- Available in 304L and 316L stainless steel
- Capacities 500 to 5,000 lbs
- Finishes 2B, electro polished and 35 RA
- Clean room compliant
- For Food, pharmaceutical, and other washdown applications
- Floor mounted or stand mounted
- cGMP Models available
- Custom designs
- UL and CE approved
- Air bag powered





sales@superlift.net **1-800-884-1891** www.superlift.net



# STAINLESS STEEL PNEUMATIC TILTER

### Sample Drawings





### **Optional Features**

- cGMP
- EE and EX rated trucks available
- Epoxy coatings, galvanized, nickel plated and linex coatings available
- Rider platforms
- Horizontal travel models
- Straddle trucks, counterbalance fork over and walkie reach trucks are all available





SuperLift" Builds Custom Lift Trucks & Manlifts in Painted Steel and Stainless Steel













tow tractors

\*Custom sizes available



low profile pallet truck

# fork over stacker

straddle stackers

walkie counter balance

platform truck

sales@superlift.net 1-800-884-1891 www.superlift.net



Stainless Steel

# STATIONARY & PORTABLE INGREDIENT LIFTS

- Capacities from 100 lbs to 750 lbs
- Lift heights to 96"
- Standard and custom solutions
- Ergonomic lift and dump your ingredients into your process that will eliminate injuries
- Barrels, bags and boxes to 96"
- Stainless steel in 304L and 316L
- Epoxy coated with stainless ingredients containers
- Enamel painted units
- Dump angle to 45 degrees
- Some stationary units do not have to be lagged to the floor
- Available in Air, electric and Hydraulic models



sales@superlift.net **1-800-884-1891** www.superlift.net






# STATIONARY & PORTABLE INGREDIENT LIFTS

### **Sample Drawings**





sales@superlift.net **1-800-884-1891** www.superlift.net



# STAINLESS STEEL DUMPERS

# THE MOST SANITARY DUMPER


- 100% Stainless steel Angle + Plate Design and no tube is used in the design
- Available in 304L and 316L stainless steel
- Capacities to 3,000 lbs
- Finishes 2B, electro polished
- Clean room compliant
- For Food, pharmaceutical, chemical and other washdown applications
- Custom designs
- UL approved



sales@superlift.net **1-800-884-1891** www.superlift.net



### **Sample Drawings**



SL D SS 135-30 3000 lbs. capacity Various dump heights available

### Call Factory for all other models and custom sizes



sales@superlift.net 1-800-884-1891 www.superlift.net





# HEAVY DUTY STATIONARY & PORTABLE INGREDIENT LIFTS & DUMPERS

- Capacities from 800 lbs to 4,000 lbs
- Lift heights to 160"
- Standard and custom solutions
- Stainless steel in 304L and 316L
- Epoxy coated with stainless ingredients containers
- Enamel painted units
- Dump angle to 45 degrees
- Powered drive options
- Available, electric and hydraulic models



sales@superlift.net **1-800-884-1891** www.superlift.net




Stainless Steel

# STATIONARY & PORTABLE INGREDIENT LIFTS



**Sample Drawings** 



sales@superlift.net **1-800-884-1891** www.superlift.net




# VERTICAL HYDRAULIC MATERIAL LIFTS


# Features

- Capacities from 500 lbs to 10,000 lbs
- Meets ANSI/ASME B 20.1
- Single mast cantilever and dual mast units available
- Lift Heights to 20 feet
- Low zero clear heights models
- Electric holding valves on all cylinders for maximum safety
- Ground level/no pit options
- Free standing structure and wall/mezzanine mounted models
- Auto safety lock options
- Stainless steel clean room models available









sales@superlift.net **1-800-884-1891** www.superlift.net



# VERTICAL HYDRAULIC MATERIAL LIFTS

### Sample Drawings

# Options

- Auto mezzanine safety lock
- Off set platforms
- Custom heights and platforms
- Ground level/ no pit options
- Safety enclosures
- Low head room models
- Galvanized and stainless steel models

98" RAISED HEIGHT

 $\mathbf{S}_{\mathsf{uperLift}}$  offers the largest offering of stainless steel lifts in the world


### Other Superlift<sup>™</sup> Column Lifts











sales@superlift.net 1-800-884-1891

Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3

www.superlift.net



# MATERIAL LIFTS/FREIGHT LIFTS PERSONNEL LIFTS

- Meets or exceeds elevator safety standard ASME A 17.1 and CSA B44
- Capacities from 500 to 10,000 lbs
- Type A and type B where personnel are permitted to ride
- Cantilever and dual column models
- Lift heights to 200 inches (higher models are permitted in some areas)
- Platform sizes 48" x 48" to 72" x 120"
- Custom sizes available
- Flow through models available
- Stainless steel models available








### MATERIAL LIFTS/FREIGHT LIFTS PERSONNEL LIFTS

- Platform size 48" x 48" to 72" x 120"
- Capacities from 500 to 10,000 lbs
- Lift speeds to 30 fpm
- Heavy duty car construction
   3/16 checked plate floor and
   84" high car walls
- All voltages available
- Up to 10 HP power unit
- "T" style rails
- Custom sizes always available






- Platform controls
- Two stage hydraulic cylinder
- Car lighting, alarm bells and emergency lights
- Galvanized, epoxy coated and stainless steel
- Emergency lowering system












ground level lifts





hydraulic material lift

mast lift



Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3







# STAINLESS STEEL PUSH CARTS

- Ergonomic positioning from 13 to 37 inches
- 304L and 316L North American Stainless Steel number 4 finish
- No power required
- SPARK proof available
- Oversized platform and custom sizes available
- Self contained stainless springs in smooth sanitary finish, easy to clean or wash down





**Superlift Material Handling Inc** offers the most complete and large stainless steel lift product line in North America


LIFT TABLES • CARTS • LIFT DOCTOR • SERVER LIFTS







## STAINLESS STEEL PUSH CARTS



SUPERLIFT MATERIAL HANDLING INC | 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3 | 1.800.884.1891







## STAINLESS STEEL TILTER AND STRADDLE TILTER

- 304L and 316L Stainless Steel or Epoxy finished
- Up to 90 degrees of tilt angle
- Straddle and fork over styles available
- 2,500 lbs and 4,000 lbs capacity
- Ergonomics heightof 32" to bottom of tote 110 V and 24 V DC



Superlift Material Handling Inc offers the most complete and large stainless steel lift product line in North America


LIFT TABLES • CARTS • LIFT DOCTOR • SERVER LIFTS









### STAINLESS STEEL TILTER AND STRADDLE TILTER





CAPACITY
CONSTRUCTION
LOWERED HEIGHT
DUMP HEIGHT
FORKS
POWER PACK
TILT ANGLE
PAINT

3,000 lbs Stainless Steel 6.5" 34" to 48" 6" wide x 25" long 15" between forks 24 volt DC with hand controls 85° White epoxy









SUPERLIFT MATERIAL HANDLING INC | 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3 | 1.800.884.1891







## STAINLESS STEEL STACKER ROLL LIFT

- 304L or 316L North American Stainless Steel
- Winch or Foot Pump Style
- Up to 80" Lift Height

- V Groove Platform
- Core Ram
- American Made Foot Pump
- With or Without Load Wheels











### **STAINLESS STEEL STACKER ROLL LIFT**





#### Available with or without load wheels







SUPERLIFT MATERIAL HANDLING INC | 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3 | 1.800.884.1891 www.theliftdoctor.com







## **PHARM** ASSIST

**Superlift** Introduces **THE LIFT DOCTOR™ Pharm-Assist** for pharmaceutical and food applications.

*Self propelled* or manual stainless steel screw lift to lift loads up to 700 lbs to lift heights of 96 inches.

THE LIFT DOCTOR<sup>™</sup> Pharm-Assist is a wash down ergonomic lifter that truly takes the effort from not only lifting heavy loads but also moving it into positioneffortlessly.

Two models are available in 400 lb capacity as well as the 700 lband lift heights from 48 inches to 96 inches in lift height.

#### FEATURES INCLUDE

- 304L or optional 316L stainless steel for your clean room applications
- Standard and custom sizes and custom end-effectors are available for your special applications
- A small foot print in 24 volt DC drive with lithium and sealed batteries that will provide shift after shift of lifting ease
- Available with manual or electric brake so that your load will stay where you place it
- Easy to use controls that are identical to a powered pallet truck so any experienced operator will find it easy to use.

### **Superlift Material Handling Inc** is the leader in stainless steel lifting and ergonomic solutions for industry around the world...














#### MANUAL AND SELF PROPELLED MODELS AVAILABLE







#### **Optional attachments**



Spindle



#### **Double Spindle**



 $( \subset$ 

**Reel Rotator** 



7 1/4"

V Block

MANUAL MODEL SHOWN



SUPERLIFT MATERIAL HANDLING INC | 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3 | 1.800.884.1891







## **ADJUSTABLE HEIGHT TILTERS**

#### **FEATURES**

- 1 Year warranty
- Heavy Duty welded frame
- Velocity fuses on all cylinders
- 12" high retaining back plate

#### **OPTIONS**

- Smaller and Larger Platforms
- Custom Designs
- A/C / AIR / DC

#### **STANDARD TILTS**



#### **PNEUMATIC TILTS**

#### **FEATURES**

Life time guarantee on Firestone Airbags
Heavy duty welded frames
Low maintenance
Simple operation

#### **OPTIONS**

- Custom Designs
- Smaller and Larger Platform







SuperLift;

## CUSTOM MANUAL PALLET TRUCK

- 304L and 316L Stainless Steel
- Up to 4,000 lb capacity
- Wider forks to 36" wide
- Longer forks to 96" long
- Narrow or wider forks
- North American Stainless

Superlift Material Handling Inc Offers the Most Complete and Large Stainless Steel Lift Product Line in North America LIFT TABLES • CARTS • LIFT DOCTOR • SERVER LIFTS







## **SCISSORS LIFT AND TILT**

#### **FEATURES**

- 12" high retaining back plate
- Remote powerpack
- Velocity fuses on all hydraulic cylinders
- Over load protection
- Reinforced platforms
- 1 year warranty

#### **OPTIONS**

- Self Propelled
- Custom Sizes
- Higher Travel
- Internal Powerpacks
- Larger Platforms
- Safety Skirts
- Foot Controls

Superlift Material Handling Inc offers the most complete and large stainless steel lift product line in North America

LIFT TABLES • CARTS • LIFT DOCTOR • SERVER LIFTS



#### Providing Ergonomic & Innovative Lifting Solutions

#### **STAINLESS STEEL GROUND LEVEL SCISSOR LIFT**

#### Options

- Self Propelled
- Conveyor
- Ball Transfer
- Safety Skirts
- Photo Eyes
- Electro-mechanic Toe Guards

#### Features

- Life time no lubrication
- Velocity Fuses on all cylinders
- Reinforced Platforms
- Rugged Welded Frames
- Overload Protection with built in pressure relief valves
- Delrin rollers
- North American Components
- 1 Year Warranty



	32" Lift			rt		
Model	Capacity Ibs	Platform Sizes In.	Base Sizes In.	Lower Ht. In.	Raised Ht. In.	Shipping Wt. Lb.
SS SLGL 32-20	2,000	44 x 48	63 x 54	3/8	32	1,400
SS SLGL 32-201	2,000	48 x 48	67 x 54	3/8	32	1,600
SS SLGL 32-40	4,000	42 x 48	63 x 54	1/2	32	1,410
SS SLGL 32-401	4,000	48 x 48	67 x 54	1/2	32	1,650
SS SLGL 32- 60	6,000	48 x 48	63 x 54	1/2	32	1,750
SS SLGL 32-601	6,000	48x 48	67 x 54	1/2	32	1,850
SS SLGL 32-80	8,000	48 x 48	72 x 54	1/2	32	2,300
SS SLGL 32-801	8,000	48 x 48	72 x 54	1/2	32	2,600

- Tilts
- Low Profile
- Stainless Steel and Galvanized
- Custom Paint
- Custom Sizes
- Rotating Platforms



Ground Level 32" Scissor Lifts are also available in Galvanized and Epoxy Coated

sales@superlift.net **1-800-884-1891** www.superlift.net



#### Providing Ergonomic & Innovative Lifting Solutions

#### **STAINLESS STEEL PNEUMATIC LIFT TABLES**

#### Options

• Turn Tables

• Safety Skirts

• Ball Transfer

Tandem Lifts

Portable Units

Larger Capacities

Larger Platforms

- Features
- Heavy Duty all welded frames
- Delrin bushings
- Life time guarantee on Firestone Airbags
- Low maintenance
- Easy operation



24" 1

Model	Capacity Ibs	Platform Sizes In.	Base Sizes In.	Lower Ht. In.	Raised Ht. In.	Motor Wt. Lb.	
SLALT2 3648	2,000	36 x 48	36 x 48	10	32	750	
SLALT2 4848	2,000	48 x 48	36 x 48	10	32	800	
SLALT2 5648	2,000	56 x 48	36 x 48	10	32	870	
SLALT2 6048	2,000	60 x 48	36 x 48	10	32	950	
SLALT2 4848	4,000	48 x 48	48 x 48	10	32	1,000	
SLALT2 5648	4,000	56 x 48	48 x 48	10	32	1,090	
SLALT2 6048	4,000	60 x 48	48 x 48	10	32	1,190	

#### **STAINLESS STEEL LOW PROFILE LIFT TABLES**

#### Options

- Smaller and Larger Platforms
- Loading Ramps
- Turn Tables
- Ball Transfer
- Portable Units
- Safety Skirts

#### Features

- Heavy Duty all welded frames
- Delrin bushings
- Low collapsed height



Model	Capacity Ibs	Platform Sizes In.	Lower Ht. In	Raised Ht. In.	Optional Ramp W-L	Shipping Wt. Lb.
SS SLLP 20	2,000	36 x 48	3.5	33	36 x 30	700
SS SLLP 40	4,000	36 x 48	4.5	33	36 x 30	800

sales@superlift.net

30" Lift

**1-800-884-1891** www.superlift.net

#### OPTIONS

- Standard Lifts
- Turn Tables
- Pallet Trucks
- Dumpers
- Reach Trucks
- Double Scissor Lifts
- Upenders
- Powered Pallet Trucks
- Stackers
- Straddle Trucks
- Counter Balance Trucks
- Ergonomic Lifts

#### Stainless Steel Scissor Lifts

- Capacities from 250 lbs to 20,000 lbs
- Standard lifts, ground level, lift and tilts, double lifts, low profile, heavy duty all available
- 304 and 316 stainless steel polished #4 or mirror finishes
- Stainless steel cylinders or ball screw units for precision applications
- Lift heights to 120"
- Custom lifts and powered drive also available
- Powered by air, hydraulic or electric ball screw









These Products are ideal for food, pharmaceutical, chemical and clean-room applications. Call SuperLift/UltraLift for your Stainless Steel Equipment requirements. Quality Manufactured...... Priced Right.

SuperLift/UltraLift 69 Penelope Drive, Kitchener, Ontario N2N 3C5 • Fax: (519) 895-2017 sales@superlift.net **1-800-884-1891** www.superlift.net

#### OPTIONS

- Standard Lifts
- Turn Tables
- Pallet Trucks
- Dumpers
- Reach Trucks
- Double Scissor Lifts
- Upenders
- Powered Pallet Trucks
- Stackers
- Straddle Trucks
- Counter Balance Trucks
- Ergonomic Lifts

#### Stainless Steel Dumpers -Standard and Custom Designs

- Standard or custom, stainless steel or galvanized dumpers for food, pharmaceutical, biotechnical and chemical industries
- Capacities from 250 lbs to 10,000 lbs
- Drum dumpers, portable dumpers, side load dumpers and stationary dumpers
- Galvanized, steel it epoxy paint or enamel paint on mild steel are available to satisfy any dumping application







#### **MISCELLANEOUS STAINLESS EQUIPMENT**

#### Manual Pallet Truck

- 304 and 316 stainless
- 5,500 lb capacity
- Stainless and nickel plated design
- Polyurethane wheels and rollers

#### **Ergonomic Scissor Lift**

- 304 and 316 stainless
- 2,500 lb capacity
- 20.5" / 27" fork widths
- 3.5" lowered height
- 31.5" raised height



#### Pallets

- Stainless and aluminum models available
- 5,000 lb capacity

SuperLift/UltraLift
69 Penelope Drive, Kitchener, Ontario N2N 3C5 • Fax: (519) 895-2017 sales@superlift.net

**1-800-884-1891** www.superlift.net

#### OPTIONS

- Standard Lifts
- Turn Tables
- Pallet Trucks
- Dumpers
- Reach Trucks
- Double Scissor Lifts
- Upenders
- Powered Pallet Trucks
- Stackers
- Straddle Trucks
- Counter Balance Trucks
- Ergonomic Lifts

#### **Powered Pallet Truck**

- 100% 304 or 316 stainless steel frame, carriage, forks and under carriage
- Stainless Steel Cylinders available
- Protected controllers
- 500 to 6,000 lb capacity
- For food, clean room, chemical and other demanding applications
- 24 Volt powered



#### **Platform Truck**

- 100% 304 and 316 stainless steel constructions
- Capacities from 500 to 10,000 lbs
- Available in 2B, #4 or mirror polished finish
- 24 Volt in E and EE
- Lift heights to 30"





These Products are ideal for food, pharmaceutical, chemical and clean-room applications. Call SuperLift/UltraLift for your Stainless Steel Equipment requirements. Quality Manufactured...... Priced Right.

**SuperLift/UltraLift** 69 Penelope Drive, Kitchener, Ontario N2N 3C5 • Fax: (519) 895-2017

Page 3

sales@superlift.net
1-800-884-1891

www.superlift.net

#### OPTIONS

- Standard Lifts
- Turn Tables
- Pallet Trucks
- Dumpers
- Reach Trucks
- Double Scissor Lifts
- Upenders
- Powered Pallet Trucks
- Stackers
- Straddle Trucks
- Counter Balance Trucks
- Ergonomic Lifts

#### **Stainless Steel Stackers**

- Manual and battery powered
- 500 lbs to 3,000 lbs capacity
- 12 Volt DC battery powered, push around lift
- Fork over and straddle models
- Lift heights to 144"
- Custom lifts and floor mount available in 304, 316 stainless steel, galvanized or steel it epoxy paint



#### Stainless Steel Self Propelled Stackers

- 24 Volt DC powered stackers
- Forks, platforms and fork over styles available
- 500 lbs to 10,000 lbs capacity
- Lift heights to 168"





These Products are ideal for food, pharmaceutical, chemical and clean-room applications. Call SuperLift/UltraLift for your Stainless Steel Equipment requirements. Quality Manufactured...... Priced Right.

SuperLift/UltraLift
69 Penelope Drive, Kitchener, Ontario N2N 3C5 • Fax: (519) 895-2017

Page 4

sales@superlift.net 1-800-884-1891

www.superlift.net





#### **CUSTOM EQUIPMENT AVAILABLE**



Superlift Material Handling Inc 23 - 500 Fairway Rd S Suite 402 Kitchener, ON N2C 1X3 sales@superlift.net **1-800-884-1891** www.superlift.net